



FILE # / General		Laboratory (mm)															
0	>3	>6	>10	>18	>30	>50	>80	>120	>180	>250	>315	>400	>500	0.1/10			
3	~	~	~	~	~	~	~	~	~	~	~	~	~	~	~	~	~
6	10	18	30	50	80	120	180	250	315	400	500						
10	12	14	16	18	20	22	24	26	28	30	32	34	36	38	40	42	44
15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15
20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35
40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40
45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45
50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50
55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55
60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60
65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65
70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70
75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75
80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80
85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85
90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90
95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95
100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
105	105	105	105	105	105	105	105	105	105	105	105	105	105	105	105	105	105
110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110
115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115
120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120
125	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125
130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130
135	135	135	135	135	135	135	135	135	135	135	135	135	135	135	135	135	135
140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140
145	145	145	145	145	145	145	145	145	145	145	145	145	145	145	145	145	145
150	150	150	150	150	150	150	150	150	150	150	150	150	150	150	150	150	150

ITEM	NAME OF PART	MATERIAL	NOTES
4	Pin header 2	Copper	Sn Plated
3	Pin header 1	Copper	Sn Plated
2	Cover	PA66	UL94V-0
1	Housing	PA66	UL94V-0

  

UL Standard	B	C	D
额定电压/Rated Voltage(V)	300/15	300/15	300/10
额定电流/Rated Current(A)			
绝缘等级/Insulation Level	III/3	III/2	II/2
污染等级/Pollution Degree			4
额定电压/额定峰值电压/额定冲击电压(Rated Voltage(V)/Rated Peak Voltage(KV)/Rated Impulse Voltage(KV))			
额定温度/Operating Temperature(°C)	-40~+105		
符合/Meets/Conform to RoHS	Yes		

MATERIAL:	表面: /
MAT NO.:	/
STATUS:	/
APPD:	Lan CHH 2020.05.18
CHKD:	/
DRFT:	GongYzh 2020.05.19
NAME:	宁波德松电子有限公司
DRAWING NO.:	10002009
SCALE:	2:1
SHEET:	1/1

REV	ECN	DESCRIPTION	DRFT	DATE